



# Universal

## For indoor spill control

### Universal absorbency:

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their grey colour masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

### The technology:







The technology or structure behind each of the universal products helps determine the strength and absorbency of each absorbent. This information along with the product's characteristics (grade, perforations, etc.) are what helps you decide which absorbent is best for your application.

### Common liquids absorbed:

- Coolants
- Solvents
- Oils
- Gasoline
- Vegetable oil
- Kerosene
- Latex paint
- And other water-based fluids


## Universal absorbent family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features such as durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durability	Linting	Absorbency Grades	Construction
<b>GP</b> <b>General purpose absorbent pads &amp; rolls</b> Page 23	Maintenance absorbent for general industrial applications	✓✓	Medium linting	Medium and light weight	 <p><b>1-PLY</b> Meltblown dimpled (optional) perforated</p>
<b>MRO Plus®</b> <b>Absorbent pads &amp; rolls</b> Page 23, 24	Best for industrial applications where greater durability and lower linting is needed	✓✓	Medium linting	Heavy & medium weight	 <p><b>2-PLY</b> Meltblown + spunbound on 1 side, dimpled and (optional) perforated</p>
<b>UXT</b> <b>Xtra tough absorbent pads &amp; rolls</b> Page 24	Extra durable general purpose absorbent for wiping, drips, and leaks	✓✓✓	Low linting	Medium and light weight	 <p><b>3-PLY</b> Meltblown + spunbound on 2 sides, dimpled and perforated</p>
<b>HT</b> <b>High traffic absorbent rolls</b> Page 25	Economical for foot traffic, walkways, and around work stations	✓✓	Medium linting	Heavy weight	 <p><b>2-PLY</b> Meltblown + spunbound on 1 side, dimpled and (optional) perforated</p>
<b>Universal absorbent pillows, drum top covers, wipes &amp; SOCs</b> Page 25, 26	Value absorbent for general purpose wiping, drips or leaks				
<b>Battlemat®</b> <b>absorbent rolls</b> Page 32	High wear resistance is ideal for heavy foot traffic, forklifts and walkways	✓✓✓	Low linting	Heavyweight	 <p><b>2-PLY</b> Meltblown + spunbound on 1 side, dimpled and perforated (optional)</p>

## GP - Economical maintenance rolls for applications that require high absorbency and low cost.


- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- GP rolls have a superior finish with less lint for improved abrasion resistance compared to traditional single ply rolls.
- Ideal roll to cover a larger surface area for a fast clean up of leaks and spills where low cost and high adsorbency are required.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
GP150-E	813826	ROLL, 96 cm x 44 m, Medium weight, bonded	1 Roll(s) / Bag	192
GP150-P-E	813827	ROLL, 96 cm x 44 m, Medium weight, perforated & bonded	1 Roll(s) / Bag	192
GP152-P-E	813828	ROLL, 48 cm x 44 m, Mediumweight, perforated & bonded	2 Roll(s) / Bag	192

## GP - Economical general purpose maintenance pads made with SPC's MAXX technology! A perfect combination of strength and absorbency!

- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- Highly absorbent, GP MAXX pads adsorb up to 18 times their weight !
- Thanks to the high absorbency of our MAXX technology, less material is needed to absorb more liquid and so you pay less for disposal!
- GP MAXX pads have a smooth surface finish with less lint than traditional single ply pads – looks better and performs better!
- Packed in boxes for easy handling and storage.
- Ideal for industrial applications where low cost and high absorbency are required.



Use pro-actively to catch leaks and drips.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
GP400-M	134429	MAXX PADS, 40 cm x 50 cm, Lightweight, perforated & bonded	100 Pad(s) / Box	79
GP100-M	813812	MAXX PADS, 40 cm x 50 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	91
GP200-M	813813	MAXX PADS, 40 cm x 50 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	158

## MRO PLUS - Our most popular maintenance rolls for general industrial use!

- Absorbs a variety of industrial liquids including oils, water, solvents and coolants.
- One-sided spunbond gives extra strength as well as lower lint.
- A high quality maintenance sorbent for applications where a combination of adsorption and added strength is required.
- Available with perforations for ease of use and to minimise waste.
- Choose from a wide variety of sizes for your application including a handy dispenser box.



A good general use sorbent to fit around machines to absorb overspray.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
MRO15-E	813817	ROLL, 38 cm x 46 m, Heavyweight, bonded	1 Roll(s) / Dispenser box	92
MRO15-P-E	813818	ROLL, 38 cm x 46 m, Heavyweight, perforated & bonded	1 Roll(s) / Dispenser box	92
MRO15-DP-E	813819	ROLL, 38 cm x 46 m, Heavyweight, double perforated & bonded	1 Roll(s) / Dispenser box	92
MRO15-DPS-E	813820	ROLL, 38 cm x 23 m, Heavyweight, double perforated & bonded	1 Roll(s) / Dispenser box	46
MRO315-P-E	813821	ROLL, 38 cm x 46 m, Medium weight, perforated & bonded	1 Roll(s) / Dispenser box	73
MRO30-E	813822	ROLL, 76 cm x 46 m, Heavyweight, bonded	1 Roll(s) / Box	185
MRO30-P-E	813823	ROLL, 76 cm x 46 m, Heavyweight, perforated & bonded	1 Roll(s) / Box	185
MRO30-DP-E	813824	ROLL, 76 cm x 46 m, Heavyweight, double perforated & bonded	1 Roll(s) / Box	185
MRO330-DP-E	813825	ROLL, 76 cm x 46 m, Medium weight, double perforated & bonded	1 Roll(s) / Box	147
MRO365-P	834176	ROLL, 19 cm x 15 m, Heavyweight, perforated & bonded, 60 pads per roll	1 Roll(s) / Bag	15




MRO pads under leaking seals & faucets. Ideal to catch small drips.



**Dispense & Dispose system:**  
Dispenser box for easy access to the product & disposal bags and box to ensure proper disposal of waste.

## MRO PLUS - Our most popular maintenance pads. Perfect for general industrial maintenance or spill clean up.

- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- One-sided spunbond gives extra strength as well as lower lint.
- Ideal sorbent for dealing with leaks and drips in the workplace.
- Perforated to help you minimise waste and lower your disposal costs.
- Available with SPC's unique "Dispense & Dispose" system for added convenience and lower cost per pad!



**2-PLY**  
Meltblown + spunbond on 1 side, dimpled and (optional) perforated



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
MRO200-E	138588	PADS, 40 cm x 50 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	152
MRO100-E	813809	PADS, 40cm x 50 cm, Heavyweight, perforated & bonded	100 Pad(s) / Box	106
MRO150-DND-E	813811	PADS, 40 cm x 50 cm, Heavyweight, perforated & bonded, Dispense & Dispose System	150 Pad(s) / Dispenser box	158




Black disposal bags, capacity 151 litres, can be ordered separately. Order reference: BAG-150DND


## UXT - Extra tough maintenance rolls for applications that require a durable, non-linting and abrasion resistant sorbent!



- Absorbs a variety of liquids including oils.
- 3-ply construction adds strength and durability.
- Spunbond outer layers make the product stronger for longer use and improved abrasion resistance.
- Non-linting spunbond eliminates loose fibres and makes the product stronger and abrasion resistant.
- Ideal for use in areas with moderate foot traffic.
- Perforated to permit the use of precisely the right amount of material to reduce waste.



**3-PLY**  
Meltblown + spunbond on 2 sides, dimpled and perforated




Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
UXT315-P-E	813815	ROLL, 38 cm x 46 m, Medium weight, perforated & bonded	1 Roll(s) / Dispenser box	70
UXT330-DP-E	813816	ROLL, 76 cm x 46 m, Medium weight, double perforated & bonded	1 Roll(s) / Box	141

## UXT - Extra-tough maintenance pads. The ideal sorbent for industrial applications that require durability or abrasion-resistance.



An ideal sorbent for cleaning rough machine parts without leaving residue.

- Absorbs a variety of industrial liquids including oils, water, solvents, coolants, etc.
- Durable spunbond provides extra strength and fosters longer use.
- Low-linting: makes UXT ideal as a "wipe down" sorbent by eliminating loose fibres.
- Soft & pliable sorbent makes it user-friendly.
- Perforated pads - use only what you need in order to minimise waste.




**3-PLY**  
Meltblown + spunbond on 2 sides, dimpled and perforated



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
UXT200-E	813807	PADS, 40 cm x 50 cm, Lightweight, perforated & bonded	200 Pad(s) / Box	139
UXT300-E	813808	PADS, 40 cm x 50 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	81

## HT - The multi-use maintenance product: use it as a pad, wipe, roll, pillow or soc!

- Absorbs a variety of liquids: water, oils, coolants, solvents, ...
- Convenient dispenser box for easy access to the product.
- Multiple perforations - always the right size in order to minimise waste.
- Multi-ply construction for durability, good absorption and low lint on one side.



**2-PLY**  
Meltblown + spunbound on 1 side, dimpled and (optional) perforated



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
HT555-E	813836	ROLL, 38 cm x 46 m, Heavyweight, bonded & multiple perforations	1 Roll(s) / Dispenser box	92
HT777-E	813837	ROLL, 76 cm x 46 m, Heavyweight, bonded & multiple perforations	1 Roll(s) / Box	185

## 5 in 1



As a WIPE



As a PILLOW



As a PAD



As a ROLL



As a SOC

## Allwik pillows - Absorb spills and leaking fluids in tight spaces and under persistent drip sources.



- Absorbs a variety of liquids including water, coolants, solvents, oils, antifreeze, etc
- 2 different sizes to fit any application.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
AW1818	813792	PILLOW, 43 cm x 48 cm	16 Piece(s) / Box	104
AW1818-2	813793	PILLOW, 43 cm x 48 cm	8 Piece(s) / Box	52
AW99	813794	PILLOW, 23 cm x 23 cm	32 Piece(s) / Box	42

Ideal under machines or in tight spaces.

## Allwik drum top covers - Keep your drum tops neat & clean.



No more pump drips sliding down the side of the drum and onto the floor.



Pre-cut holes for easy fit.

- Absorbs a wide range of industrial liquids like water, coolants, solvents, oils, antifreeze, etc.
- Create a clean and safe work floor by preventing pump drips from reaching the floor.
- Pre-cut for perfect fit on 205 litre drums.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
DTA25-E	813795	Drum Top Cover, Ø 56 cm	25 Piece(s) / Box	26

## CornCob Socs - Ecological Slikwik soc to contain spills



Contain spills with our ecological Slikwik soc

- Avoid expensive clean-ups by bordering leak-prone machines with a highly moldable soc
- Prevent slips & falls by containing spills before they spread on the workfloor
- Protect the environment by preventing spills from reaching drains, doorways, or gates with an ecological soc filled with corncob granular

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
SW46	107836	SLIKWIK Absorbent Soc Ø 7.6 cm x 106 cm	40 Piece(s) / Box	761



Great around machines - keeps the work floor clean and safe.

## Allwik-Soc's – Absorbing leaks and spills around machines.

- Absorbs a variety of industrial liquids including aggressive chemicals.
- Different lengths in order to always have the right size for your application.
- Flexible design allows the soc to fit around any machine, corner or curve.
- Filled with universal meltblown polypropylene.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
AW430	813788	SOC, Ø 7.6 cm x 122 cm	30 Piece(s) / Box	106
AW412	813789	SOC, Ø 7.6 cm x 122 cm	12 Piece(s) / Box	43
AW806	813790	SOC, Ø 7.6 cm x 244 cm	6 Piece(s) / Box	43
AW124	813791	SOC, Ø 7.6 cm x 366 cm	4 Piece(s) / Box	43



## Flexisoc - The ultimate soc for flexibility!

- Absorbs a variety of industrial liquids.
- User-friendly: Cut the soc into the length you desire and re-clip.
- Cost savings: No need to stock multiple lengths - you can use one soc for all applications.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
AW561	813787	FLEXISOC, Ø 7.6 cm x 17 m + 30 Clips	1 Piece(s) / Box	49

## Slikwik wipes - Perfect for cleaning tools, machine parts or small drips.

- Chemical resistant for use with oil, water, solvents or even acids.
- Lower cost per wipe compared to reusable wipes. No extra laundering cost.
- One time use eliminates risk of contamination from previous users, metal chips, hazardous chemicals etc – a potential problem with recycled wipes.
- Absorbent microstructure retains solvent based cleaners, reducing consumption of expensive cleaners when compared to cotton or paper wipes.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)	Colour
SW1200	813814	WIPE, 32 cm x 36 cm, 10 packs of 50 folded wipes	500 Piece(s) / Box	48	Blue